



Table of Contents


Norandex Components & Accessories Norandex™ Rainware Color Selection	
Gutter Coil Conversion Chart	6
Gutters Gutter Coil Spin Down Gutter Coil	7
Downspouts	8
Elbows	9
Variable Degree Elbows	10
Conductor Heads	10
Offsets	11-12
Downspout Accessories	13-14
Outlets	13
Drain Tile Adapters	13
Y Adapters	
Y Diverters Downspout Bands	
Downspout Clips	
Downspout Hinges	
Splash Blocks	14
Miters	
Box Miters	
Bay Miters	
Strip Miters Extreme Miter™	
Joints & End Caps	
Expansion Joints	
Slip Joints	
End Cans	16


Hangers	17-18
Hidden	17
T-Bar	17
Vampire	17
T-Wedges	18
Gutter Wedges	
Hangers with Screws	18
Rainware Accessories	18
Fascia Brackets	18
Round/Half Round Products	19-21
Half Round Gutters	
Round Downspouts	
Round Elbows	
Round Offsets	
Half Round Outlets	
Half Round Miters	
Half Round Slip Joints	
Half Round End Caps Half Round Brackets	
Half Round Hidden Hangers	
Half Round T-Wedge Hangers	
Gutter Protection	
NX Gutter Protection Screen Systems	_
ACM Gutter Protection	
Trim Coil Color Selection	24-26
Siding Accessories	
Starter Strip	
Z-Bar	
Window Flashing	
Fascia	
Soffit	
J-Channel	28
Warrantics	20-21

To place orders for metal products, please call:

Houston Plant Customer Service: **Ph 800-357-7523 ● Fax 713-466-5404** www.acm-metals.com

Rainware Components & Accessories








Note: Actual color may vary from this representation. Please refer to actual metal color swatches for color accuracy.

Color appearance may change when viewed at different angles or in sunlight.



SHERWIN-WILLIAMS.

Coil Coatings







Gutter Coil Conversion Factors

(Determining Feet to Weight)

Coil Width	Material Thickness	Conversion	Multiplier Formula	
11-3/4"	.027" Alum.	lin. ft	X .377 =	# lbs.
11-7/8"	.027" Alum.	lin. ft	X .380 =	# lbs.
14"	.027" Alum.	lin. ft	X .453 =	# lbs.
15"	.027" Alum.	lin. ft	X .476 =	# lbs.
11-3/4"	.032" Alum.	lin. ft	X .446 =	# lbs.
11-7/8"	.032" Alum.	lin. ft	X .450 =	# lbs.
13"	.032" Alum.	lin. ft	X .500 =	# lbs.
15"	.032" Alum.	lin. ft	X .571 =	# lbs.
18"	.032" Alum.	lin. ft	X .678 =	# lbs.
11-7/8"	26 ga. Steel	lin. ft	X .768 =	# lbs.
12"	26 ga. Steel	lin. ft	X .775 =	# lbs.
13"	26 ga. Steel	lin. ft	X .839 =	# lbs.
14"	26 ga. Steel	lin. ft	X .904 =	# lbs.
15"	26 ga. Steel	lin. ft	X .969 =	# lbs.
19"	26 ga. Steel	lin. ft	X 1.23 =	# lbs.
11-7/8"	26 ga. Galvalume	lin. ft	X 0.72 =	# lbs.
15"	26 ga. Galvalume	lin. ft	X 0.90 =	# lbs.
11-7/8"	16 oz. Copper	lin. ft	X 0.99 =	# lbs.
15"	16 oz. Copper	lin. ft	X 1.25 =	# lbs.

To process an order for a spin down quantity, determine the number of pounds based on the requested footage by the contractor. Enter the number of pounds on the ticket noting the required footage. After spinning down the required coil footage, re-weigh the coil to verify the actual pounds of coil taken out of inventory. Note the actual weight in shipped column of the ticket. Update the tickets to adjust the invoice accordingly. This process ensures proper invoicing and accurate inventory levels.

These coils are cut from master coils which are slightly thicker in the middle to avoid oil canning during the painting process. The gauge can vary slightly depending on where the coil was cut from the master coil. Inventory will vary if the product is sold by footage and not weight. Remember, product is purchased by the pound. Re-weighing is necessary for accuracy.

A NOTE ABOUT COLOR SELECTION

 $NORANDEX^{TM}$ provides color chip cards which show a close representation of the color. The purpose of color chip cards is to narrow down the homeowner choice of colors. Depending upon the substrate, the final selection should always be based on either an aluminum or steel color tile fan deck, viewed in full sunlight.

Metallic colors, such as Copper Penny (CP), Bronze (BZ), Rustic Copper (M2), and Weathered Bronze (WB), have mica (refractive) or aluminum (reflective) flakes added to the paint finish. The color of different products may be the same (as measured on a colorimeter), but the visual appearance may look slightly different when viewed from different angles and varying amount of sunlight. This is a normal occurring phenomenon and is due the chance positioning of the mica and aluminum flakes when added to the paint finish.



Gutter Coil	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Pound	Rolls/ Pallet
	AGC21178	Aluminum 11-7/8" Coil	AL, AI, BB, BK, BZ, BS, BU, CA, CG, CC, CP, CU, DS, EV, EG, HG, HV, HN, LI, MB, PC, M2, M3, RW, RB, ST, SI, TB, TX VG, VI, WH, 80, WI	0.027	Order by the lb.	3
	AGC215	Aluminum 15" Coil	AL, AI, BB, BZ, BS, BU, CA,CG, CC, CP, CU, DS, EV, EG, HG, HV, HN, LI, MB, PC, M3, RW, RB, M2, ST, SI, TB, TX, VG, VI, WH, 80, WI	0.027	Order by the lb.	2
	AGC315	Aluminum 15" Coil	AL, BK, BZ, CC, CG, CP, CU, DS, EG, MB, PC, RB, TB, WH, 80	0.032	Order by the lb.	2

Spin Down Gutter Coil	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Pound
	LSC61178	Galvalume 11-7/8" Coil	Mill	26 ga	Order by the lb
	LSC615	Galvalume 15" Coil	Mill	26 ga	Order by the lb
	CSC21178	Copper 11-7/8" Coil 1'/lb.	Copper	16 oz	Order by the lb
	CSC215	Copper 15" Coil	Copper	16 oz	Order by the lb


Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	PG METALLIC	М3	TUXEDO GREY	TX
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	REDWOOD	RW	VICTORIAN GRAY	VG
BEAVER BROWN	BB	CLASSIC CREAM	CC	HARVEST BROWN	HV	ROYAL BROWN	RB	VILLAGE GREEN	VI
BLACK	BK	COPPER PENNY	CP	HERRINGBONE	HN	* RUSTIC COPPER	M2	WHITE	WH
BRONZE	BZ	COUNTRY BLUE	CU	LINEN	LI	SANDTONE	ST	WICKER	WI
BROOKSTONE	BS	DESERT SAND	DS	MUSKET BROWN	MB	NX SIERRA CLAY	SI	80 WHITE	80
BUCKSKIN	BU	EVEREST	EV	PEBBLESTONE CLAY	PC	TERRA BRONZE	ТВ		

* Rustic Copper is a PREMIUM color.



Downspouts	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Length	Pieces/ Box	Boxes/ Pallet
	ADS238	Aluminum 2 x 3 x 8'	Listed Below	0.019	8′	10	28
	ADS238M2	Aluminum 2 x 3 x 8'	M2 (Premium Color)	0.019	8′	10	28
	ADS2310	Aluminum 2 x 3 x 10'	Listed Below	0.019	10′	10	28
	ADS2310M2	Aluminum 2 x 3 x 10'	M2 (Premium Color)	0.019	10′	10	28
	ADS348	Aluminum 3 x 4 x 8'	Listed Below	0.019	8′	10	15
	ADS348M2	Aluminum 3 x 4 x 8'	M2 (Premium Color)	0.019	8′	10	15
	ADS3410	Aluminum 3 x 4 x 10'	Listed Below	0.019	10′	10	15
	ADS3410M2	Aluminum 3 x 4 x 10'	M2 (Premium Color)	0.019	10′	10	15
EAM	ADS24510	Aluminum 4 x 5 x 10'	AL, AI, BK, BZ, CC, MB, RB, ST, SI, TB, WH, 80, WI	0.027	10′	6	15
120"	LDS238	Galvalume 2 x 3 x 8'	Mill	26 ga	8′	10	
	LDS2310	Galvalume 2 x 3 x 10'	Mill	26 ga	10′	10	
	LDS348	Galvalume 3 x 4 x 8'	Mill	26 ga	8′	10	
	LDS3410	Galvalume 3 x 4 x 10'	Mill	26 ga	10′	5	
	CDS2310	Copper 2 x 3 x 10'	Copper	16 oz	10′	Order by	the pc.
	CDS3410	Copper 3 x 4 x 10'	Copper	16 oz	10′	Order by	the pc.





Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	PG METALLIC	М3	TERRA BRONZE	ТВ
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	REDWOOD	RW	TUXEDO GREY	TX
BEAVER BROWN	BB	CLASSIC CREAM	CC	HARVEST BROWN	HV	ROYAL BROWN	RB	VICTORIAN GRAY	VG
BLACK	BK	COPPER PENNY	CP	HERRINGBONE	HN	* RUSTIC COPPER	M2	VILLAGE GREEN	VI
BRONZE	BZ	COUNTRY BLUE	CU	LINEN	LI	NX SAND STONE	SS	WHITE	WH
BROOKSTONE	BS	DESERT SAND	DS	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
BUCKSKIN	BU	EVEREST	EV	PEBBLESTONE CLAY	PC	NX SIERRA CLAY	SI	80 WHITE	80

* Rustic Copper is a PREMIUM color.







Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	PG METALLIC	М3	TERRA BRONZE	TB
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	REDWOOD	RW	TUXEDO GREY	TX
BEAVER BROWN	ВВ	CLASSIC CREAM	CC	HARVEST BROWN	HV	ROYAL BROWN	RB	VICTORIAN GRAY	VG
BLACK	BK	COPPER PENNY	CP	HERRINGBONE	HN	* RUSTIC COPPER	M2	VILLAGE GREEN	VI
BRONZE	BZ	COUNTRY BLUE	CU	LINEN	LI	NX SAND STONE	SS	WHITE	WH
BROOKSTONE	BS	DESERT SAND	DS	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
BUCKSKIN	BU	EVEREST	EV	PEBBLESTONE CLAY	PC	NX SIERRA CLAY	SI	80 WHITE	80

^{*} Rustic Copper is a PREMIUM color.




Variable Degree Elbows

This chart shows the roof pitch paired to the approximate variable degree elbow.


ROOF PITCH	DEGREE
Mansard	15°
18/12	22°
16/12	22°
14/12	22°
12/12	30°
10/12	45°
8/12	45°
6/12	45°
4/12	75°


Variable degree elbows are used to go around obstructions (ledge jumpers) or transition to the slope of the roof.


Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Length	Pieces/ Box	Boxes/ Pallet
AAE2223	Aluminum 2 x 3 A's 220c	Listed Below	0.019	6-3/4"	30	16
AAE2234	Aluminum 3 x 4 A's 220	Listed Below	0.019	_	30	16
AAE334	Aluminum 3 x 4 A's 300	Listed Below	0.019	_	30	16
AAE434	Aluminum 3 x 4 A's 450	Listed Below	0.019	-	30	16
ABE2223	Aluminum 2 x 3 B's 220	Listed Below	0.019	6-3/4"	30	16
ABE2234	Aluminum 3 x 4 B's 220	Listed Below	0.019	-	30	16
ABE334	Aluminum 3 x 4 B's 300	Listed Below	0.019	-	30	16
ABE434	Aluminum 3 x 4 B's 450	Listed Below	0.019	-	30	16



AAE123 A-Elbow







Conductor Head	Part #	Description	Colors	Nom. Gauge/Thick- ness	Pieces/ Box
<u> </u>	ACH3	Aluminum 3"	RB, WH	0.019	4



Rainware & Accessories Colors


Railiwale & F	1000331	Di les Colors							
COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	REDWOOD	RW	VICTORIAN GRAY	VG
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	ROYAL BROWN	RB	VILLAGE GREEN	VI
BEAVER BROWN	BB	CLASSIC CREAM	CC	HERRINGBONE	HN	SANDTONE	ST	WHITE	WH
BLACK	BK	COPPER PENNY	CP	LINEN	LI	NX SIERRA CLAY	SI	WICKER	WI
BRONZE	BZ	COUNTRY BLUE	CU	MUSKET BROWN	MB	TERRA BRONZE	ТВ	80 WHITE	80
BROOKSTONE	BS	DESERT SAND	DS	PEBBLESTONE CLAY	PC	TUXEDO GREY	TX		
BUCKSKIN	BU	EVEREST	EV						

* Rustic Copper is a PREMIUM color.



Offsets






We have several varieties of offset downspout connections to transition gracefully over a brick ledge. You can eliminate the awkward look of a two-piece configuration with our choice of 1" to 6" away-fromthe-wall options.

Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABO1123A	Aluminum 2 x 3 - 1" A's	Listed Below	0.019	24
ABO1123AM2	Aluminum 2 x 3 - 1" A's	M2 (Premium Color)	0.019	24
ABO1223A	Aluminum 2 x 3 - 2" A's	Listed Below	0.019	24
ABO1223AM2	Aluminum 2 x 3 - 2" A's	M2 (Premium Color)	0.019	24
ABO1323A	Aluminum 2 x 3 - 3" A's	Listed Below	0.019	24
ABO1323AM2	Aluminum 2 x 3 - 3" A's	M2 (Premium Color)	0.019	24
ABO1423A	Aluminum 2 x 3 - 4" A's	Listed Below	0.019	20
ABO1423AM2	Aluminum 2 x 3 - 4" A's	M2 (Premium Color)	0.019	20
ABO1523A	Aluminum 2 x 3 - 5" A's	Listed Below	0.019	20
ABO1623A	Aluminum 2 x 3 - 6" A's	Listed Below	0.019	20
ABO1134A	Aluminum 3 x 4 - 1" A's	Listed Below	0.019	24
ABO1134AM2	Aluminum 3 x 4 - 1" A's	M2 (Premium Color)	0.019	24
ABO1234A	Aluminum 3 x 4 - 2" A's	Listed Below	0.019	24
ABO1234AM2	Aluminum 3 x 4 - 2" A's	M2 (Premium Color)	0.019	24
ABO1334A	Aluminum 3 x 4 - 3" A's	Listed Below	0.019	24
ABO1334AM2	Aluminum 3 x 4 - 3" A's	M2 (Premium Color)	0.019	24
ABO1434A	Aluminum 3 x 4 - 4" A's	Listed Below	0.019	20
ABO1434AM2	Aluminum 3 x 4 - 4" A's	M2 (Premium Color)	0.019	20
ABO1534A	Aluminum 3 x 4 - 5" A's	Listed Below	0.019	20
ABO1634A	Aluminum 3 x 4 - 6" A's	Listed Below	0.019	20
ABO1634AM2	Aluminum 3 x 4 - 6" A's	M2 (Premium Color)	0.019	20
ABO1445A	Aluminum 4 x 5 - 4" A's	AL, AI, BK, BZ, CC, MB, RB, ST, SI, TB, WH, 80, WI	0.027	9
ABO2A23A	Alum. 2 x 3 Two-Pc. Adj. 45°	Listed Below	0.019	18 pcs./9 sets
ABO2A34A	Alum. 3 x 4 Two-Pc. Adj. 45°	Listed Below	0.019	18 pcs./9 sets


All "A" Offsets also available in "B" profiles.

NOTE: Rustic Copper (M2) available only in parts specified.

ABO1123A A-Offset





ABO1134A A-Offset




All "A" Offsets also available in "B" profiles.















Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	REDWOOD	RW	VICTORIAN GRAY	VG
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	ROYAL BROWN	RB	VILLAGE GREEN	VI
BEAVER BROWN	ВВ	CLASSIC CREAM	CC	HERRINGBONE	HN	*RUSTIC COPPER	M2	WHITE	WH
BLACK	BK	COPPER PENNY	CP	LINEN	LI	SANDTONE	ST	WICKER	WI
BRONZE	BZ	COUNTRY BLUE	CU	MUSKET BROWN	MB	NX SIERRA CLAY	SI	80 WHITE	80
BROOKSTONE	BS	DESERT SAND	DS	PEBBLESTONE CLAY	PC	TERRA BRONZE	ТВ		
BUCKSKIN	BU	EVEREST	EV	PG METALLIC	М3	TUXEDO GREY	TX		

* Rustic Copper is a PREMIUM color.





Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
LBO1123A	Galvalume 2 x 3 - 1" A's	Mill	26 ga	24
LBO1223A	Galvalume 2 x 3 - 2" A's	Mill	26 ga	24
LBO1323A	Galvalume 2 x 3 - 3" A's	Mill	26 ga	24
LBO1423A	Galvalume 2 x 3 - 4" A's	Mill	26 ga	20
LBO1623A	Galvalume 2 x 3 - 6" A's	Mill	26 ga	20
LBO1134A	Galvalume 3 x 4 - 1" A's	Mill	26 ga	24
LBO1234A	Galvalume 3 x 4 - 2" A's	Mill	26 ga	24
LBO1334A	Galvalume 3 x 4 - 3" A's	Mill	26 ga	24
LBO1434A	Galvalume 3 x 4 - 4" A's	Mill	26 ga	20
LBO1634A	Galvalume 3 x 4 - 6" A's	Mill	26 ga	20
CBO1123A	Copper 2 x 3 - 1" A's	Copper	16 oz	Order by the pc.
CBO1223A	Copper 2 x 3 - 2" A's	Copper	16 oz	Order by the pc.
CBO1423A	Copper 2 x 3 - 4" A's	Copper	16 oz	Order by the pc.
CBO1523A	Copper 2 x 3 - 5" A's	Copper	16 oz	Order by the pc.
CBO1134A	Copper 3 x 4 - 1" A's	Copper	16 oz	Order by the pc.
CBO1234A	Copper 3 x 4 - 2" A's	Copper	16 oz	Order by the pc.
CBO1334A	Copper 3 x 4 - 3" A's	Copper	16 oz	Order by the pc.
CBO1434A	Copper 3 x 4 - 4" A's	Copper	16 oz	Order by the pc.
CBO1534A	Copper 3 x 4 - 5" A's	Copper	16 oz	Order by the pc.
CBO1634A	Copper 3 x 4 - 6" A's	Copper	16 oz	Order by the pc.
CBO234	Copper 3 x 4 - 2"	Copper	16 oz	Order by the pc.



Outlets	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
V 00 20 20 20 20 20 20 20 20 20 20 20 20	AORE23ML	Aluminum 2 x 3 Rectangle		0.019	300
AEORE34	AORE34ML	Aluminum 3 x 4 Rectangle	-	0.019	50
	AORE45ML			0.019	50
A000334	AORO238ML	Aluminum 2-3/8" Round	Aluminum outlets	0.019	250
AORO234	AORO234ML	Aluminum 2-3/4" Round Narrow Flange	made with mill or	0.019	250
190000	AORO338ML	Aluminum 3-3/8" Round	– painted finish per - – manufacturer's -	0.019	250
1001/00	AOOV23ML	Aluminum 2 x 3 Oval	manufacturer'sdiscretion.	0.019	300
AOOV23	AOOV34ML	Aluminum 3 x 4 Oval		0.019	50
	AOOV45ML	Aluminum 4 x 5 Oval		0.019	12
	AOOVN34ML	Alum. 3 x 4 Oval Narrow Flange	-	0.019	50
	G00V23	Galvanized 2 x 3 Oval	Mill	28 ga	Order by the pc.
	G00V34	Galvanized 3 x 4 Oval	Mill	28 ga	Order by the pc.
	GOOV4ML	Galvanized 4" Oval Drop	Mill	28 ga	Order by the pc.
	CORE23	Copper 2 x 3 Rectangle	Copper	16 oz	Order by the pc.
	CORE34	Copper 3 x 4 Rectangle	Copper	16 oz	Order by the pc.
	CORO238	Copper 2-3/8" Round	Copper	16 oz	Order by the pc.
	CORO234	Copper 2-3/4" Round	Copper	16 oz	Order by the pc.
	COOV34	Copper 4" Oval	Copper	16 oz	Order by the pc.

Wire Strainers	Part #	Description	Colors	Pieces/Box
2000	GWS3	Galvanized 3"	Mill	50
	GWS4	Galvanized 4"	Mill	50

Drain Tile	Adapters	Part #	Description	Colors	Pieces/Box
APVC234	DTA344	APVC344WH	PVC 3 x 4 x 4 Flush Mount	WH	24
		DTA234	High Density Polyethylene 2x3	BK	12
		DTA344	High Density Polyethylene 3x4	BK, WH	24

Y Adapters	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
	AYA23	Aluminum 2 x 3	RB, WH	0.019	12
	AYA34	Aluminum 3 x 4	RB, WH	0.019	10

Rainware Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE
BLACK	BK	ROYAL BROWN	RB	WHITE	WH



Y Diverters



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
AYD23WH	Aluminum 2 x 3	WH	0.019	10
AYD34WH	Aluminum 3 x 4	WH	0.019	10
AYD34WHCO	Aluminum 3 x 4 Cut Off	WH	0.019	10

Downspout Bands



Part #	Description	Colors	Nom. Gauge/ Thickness	Box
ADSPB34	Universal	Listed Below	0.019	100
ADSPB34M2	Universal	M2 (Premium Color)	0.019	100
CDSPB34	Copper 3 x 4	Copper	16 oz	Order by the pc.

Downspout Clips



Part #	Description	Colors	Nom. Gauge/ Thickness	Box
ADSCP23	Aluminum 2 x 3	Listed Below	0.032	100
ADSCP34	Aluminum 3 x 4	Listed Below	0.032	50
ADSCP34M2	Aluminum 3 x 4	M2 (Premium Color)	0.032	50
CDSCP23	Copper 2 x 3	Copper	16 oz	Order by the pc.

Downspout Hinges





Part #	Description	Colors	Pairs/Bag	Box	Box
AZHWH	Aluminum 2 x 3 / 3 x 4 Zip	WH	12 pairs	20	240 pairs
GDHA23WH	Galvanized 2 x 3 A	WH	-	-	12
GDHA34WH	Galvanized 3 x 4 A	WH	-	-	12
GDHB34WH	Galvanized 3 x 4 B	WH	-	-	12

Splash Blo	ck
------------	----

Part #	Description	Piece Length	Pieces/Box
SBC	Concrete 20" L x 10" W	20"	Order by the pc.



Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	REDWOOD	RW	VICTORIAN GRAY	VG
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	ROYAL BROWN	RB	VILLAGE GREEN	VI
BEAVER BROWN	ВВ	CLASSIC CREAM	CC	HERRINGBONE	HN	*RUSTIC COPPER	M2	WHITE	WH
BLACK	BK	COPPER PENNY	CP	LINEN	LI	SANDTONE	ST	WICKER	WI
BRONZE	BZ	COUNTRY BLUE	CU	MUSKET BROWN	MB	NX SIERRA CLAY	SI	80 WHITE	80
BROOKSTONE	BS	DESERT SAND	DS	PEBBLESTONE CLAY	PC	TERRA BRONZE	ТВ		
BUCKSKIN	BU	EVEREST	EV	PG METALLIC	М3	TUXEDO GREY	TX		

* Rustic Copper is a PREMIUM color.



Box Miter Inside Box Miter Outside

Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABM5I	Aluminum 5" Inside	Listed Below	0.019	20
ABM5IM2	Aluminum 5" Inside	M2 (Premium Color)	0.019	20
ABM5O	Aluminum 5" Outside	Listed Below	0.019	20
ABM5OM2	Aluminum 5" Outside	M2 (Premium Color)	0.019	20
ABM6I	Aluminum 6" Inside	Listed Below	0.019	20
ABM6IM2	Aluminum 6" Inside	M2 (Premium Color)	0.019	20
ABM60	Aluminum 6" Outside	Listed Below	0.019	20
ABM6OM2	Aluminum 6" Outside	M2 (Premium Color)	0.019	20
CBM6I	Copper 6" Inside	Copper	16 oz	Order by the pc.
CBM60	Copper 6" Outside	Copper	16 oz	Order by the pc.

Bay Miters

Bay Miter 45° Inside




Bay Miter 45° Outside



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABY5I	Aluminum 5" Inside	Listed Below	0.019	20
ABY5IM2	Aluminum 5" Inside	M2 (Premium Color)	0.019	20
ABY5O	Aluminum 5" Outside	Listed Below	0.019	20
ABY5OM2	Aluminum 5" Outside	M2 (Premium Color)	0.019	20
ABY6I	Aluminum 6" Inside	Listed Below	0.019	20
ABY6IM2	Aluminum 6" Inside	M2 (Premium Color)	0.019	20
ABY6O	Aluminum 6" Outside	Listed Below	0.019	20
ABY6OM2	Aluminum 6" Outside	M2 (Premium Color)	0.019	20
LBY5I	Galvalume 5" Inside	Mill	26 ga	20
LBY50	Galvalume 5" Outside	Mill	26 ga	20
LBY6I	Galvalume 6" Inside	Mill	26 ga	20
LBY60	Galvalume 6" Outside	Mill	26 ga	20
CBY5I	Copper 5" Inside	Copper	16 oz	Order by the pc.
CBY50	Copper 5" Outside	Copper	16 oz	Order by the pc.
CBY6I	Copper 6" Inside	Copper	16 oz	Order by the pc.
CBY6O	Copper 6" Outside	Copper	16 oz	Order by the pc.

Strip Miters



			Nom. Gauge/	Pieces/
Part #	Description	Colors	Thickness	Box
ASM5I	Aluminum 5" Inside	(Listed Below)	0.027	20
ASM5IM2	Aluminum 5" Inside	M2 (Premium Color)	0.027	20
ASM50	Aluminum 5" Outside	(Listed Below)	0.027	20
ASM5OM2	Aluminum 5" Outside	M2 (Premium Color)	0.027	20
ASM6I	Aluminum 6" Inside	(Listed Below)	0.027	20
ASM6IM2	Aluminum 6" Inside	M2 (Premium Color)	0.027	20
ASM60	Aluminum 6" Outside	(Listed Below)	0.027	20
ASM6OM2	Aluminum 6" Outside	M2 (Premium Color)	0.027	20
LSM5I	Galvalume 5" Inside	Mill	26 ga	20
LSM50	Galvalume 5" Outside	Mill	26 ga	20
LSM6I	Galvalume 6" Inside	Mill	26 ga	20
LSM60	Galvalume 6" Outside	Mill	26 ga	20
CSM5I	Copper 5" Inside	_	16 oz	Order by the pc.
CSM50	Copper 5" Outside	-	16 oz	Order by the pc.
CSM6I	Copper 6" Inside	-	16 oz	Order by the pc.
CSM60	Copper 6" Outside	-	16 oz	Order by the pc.

Extreme Miter™



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
AEM5	Aluminum 5"	80, WH, RB	0.019	10
AEM6WH	Aluminum 6"	WH	0.019	10

Rainware & Accessories Colors

Railiwal C & F	Railware & Accessories colors									
COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	PG METALLIC	М3	TUXEDO GREY	TX	
ANTIQUE IVORY	AI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	REDWOOD	RW	VICTORIAN GRAY	VG	
BEAVER BROWN	ВВ	CLASSIC CREAM	CC	HARVEST BROWN	HV	ROYAL BROWN	RB	VILLAGE GREEN	VI	
BLACK	BK	COPPER PENNY	СР	HERRINGBONE	HN	*RUSTIC COPPER	M2	WHITE	WH	
BRONZE	BZ	COUNTRY BLUE	CU	LINEN	LI	SANDTONE	ST	WICKER	WI	
BROOKSTONE	BS	DESERT SAND	DS	MUSKET BROWN	MB	NX SIERRA CLAY	SI	80 WHITE	80	
BUCKSKIN	BU	EVEREST	EV	PEBBLESTONE CLAY	PC	TERRA BRONZE	ТВ			


* Rustic Copper is a PREMIUM color.



Expansion Joints



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
AEJ5ML	Aluminum 5"	Mill	0.030	12
AEJ6ML	Aluminum 6"	Mill	0.030	12



A 50' section of gutter can potentially expand almost 2/3 of an inch from winter to summer causing gutters to buckle. Expansion joints are a preventive measure for excessive movement in the gutter, and should be mounted in place every 50' of exceptionally long gutter runs.

Slip Joint	Part #	Description		Colors	Nom. Gauge/ Thickness	Pieces/ Box
A	ASJC5	Aluminum 5"		RB, WH	0.019	50
	2-3/4"	2-1/2" 3-1/2"	1-7/8"			


Piece Pieces/ Nom. Gauge/ **End Caps** Part # Description Colors Thickness Length Box AEC5L Aluminum 5" Left - K-Style Listed Below 0.019 5" 50 Right AEC5LM2 Aluminum 5" Left - K-Style 5" M2 (Premium Color) 0.019 50 5" End Cap AEC5R Aluminum 5" Right - K-Style Listed Below 0.019 50 AEC5RM2 Aluminum 5" Right - K-Style M2 (Premium Color) 0.019 5" 50 AEC6L Aluminum 6" Left - K-Style Listed Below 0.019 6" 50 AEC6LM2 Aluminum 6" Left - K-Style M2 (Premium Color) 0.019 6" 50 AEC6R Aluminum 6" Right - K-Style Listed Below 0.019 6" 50 AEC6RM2 Aluminum 6" Right - K-Style M2 (Premium Color) 0.019 6" 50 5" LEC5L Galvalume 5" Left - K-Style 26 ga 50 LEC5R Mill 5" 50 Galvalume 5" Right - K-Style 26 ga Left Mill LEC6L Galvalume 6" Left - K-Style 6 50 26 ga End Cap LEC6R Galvalume 6" Right - K-Style Mill 6" 50 26 ga Copper 5" Left - K-Style CEC5L 5" Copper 16 oz Order by the pc. 5" CEC5R Copper 5" Right - K-Style Copper 16 oz Order by the pc. CEC6L Copper 6" Left - K-Style Copper 16 oz 6" Order by the pc. CEC6R Copper 6" Right - K-Style 16 oz 6" Order by the pc. Copper

Rainware & Accessories Colors


italiii vale o		71105 001015							
COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CAMEO	CA	EVERGREEN	EG	PG METALLIC	М3	TUXEDO GREY	TX
ANTIQUE IVORY	ΑI	CHARCOAL GRAY	CG	HARBOR GRAY	HG	REDWOOD	RW	VICTORIAN GRAY	VG
BEAVER BROWN	ВВ	CLASSIC CREAM	CC	HARVEST BROWN	HV	ROYAL BROWN	RB	VILLAGE GREEN	VI
BLACK	BK	COPPER PENNY	СР	HERRINGBONE	HN	*RUSTIC COPPER	M2	WHITE	WH
BRONZE	BZ	COUNTRY BLUE	CU	LINEN	LI	SANDTONE	ST	WICKER	WI
BROOKSTONE	BS	DESERT SAND	DS	MUSKET BROWN	MB	NX SIERRA CLAY	SI	80 WHITE	80
BUCKSKIN	BU	EVEREST	EV	PEBBLESTONE CLAY	PC	TERRA BRONZE	ТВ		

* Rustic Copper is a PREMIUM color.





T-Bar Strap Hangers	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	ATBH5ML	Aluminum 5" Painted	Mill	0.060	12-1/2"	100



Vampire Hangers	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	AVH5ML	Aluminum 5"	Mill	0.060	5-1/2"	100
	AVH6ML	Aluminum 6"	Mill	0.060	6-9/16"	100
		AVH5ML		A	/H6ML	

2-9/16" -

5-1/2"

5/16"

3-1/8"

Note: Proper installation requires the use of a Vampire Hanger tool manufactured by "Malco".

Rainware Aluminum Colors

COLOR	CODE	COLOR	CODE
ROYAL BROWN	RB	WHITE	WH

5-1/8"



Pieces/

Box 500

300

300

400 300

Length

5"

6"

5"

	Colors	Thickness	Bag
Aluminum 5"-6", 4400	Mill	0.070	50
Aluminum 6"-7", 4500	Mill	0.070	50

A T-Wedge can be adjusted to keep the gutter level at various fascia board angles.

Gutte	er Wedges	Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Bag
GW5	GW5	Aluminum 5"	RB, WH	0.027	100	
	GW6	Aluminum 6"	RB, WH	0.027	50	

Hangers with Screws	Part #	Description	Colors
	AHF55CS	Aluminum 5" w/Screw & Clip	Mill
	VIERCEWI	Aluminum F" Quick Scrow	Mill

		Description:		
AHFHS5ML	AHF55CS	Aluminum 5" w/Screw & Clip	Mill	0.060
	AHFHS5ML	Aluminum 5" Quick Screw	Mill	0.060
	AHFHS6ML	Aluminum 6" Quick Screw	Mill	0.060
	AHUTS5CML	Aluminum 5" Ultimate Hidden & Clip	Mill	0.061
	AHUTS6CML	Aluminum 6" Ultimate Hidden & Clip	Mill	0.061
				-

Fascia Brackets	Part #	Description	Colors	Piece Length	Pieces/ Box
1	AFBH5	Aluminum 5"	RB, WH, 80	0.060	100
. A					

	8
- 1	

Rainware Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE
ROYAL BROWN	RB	WHITE	WH	WHITE 80	80

Half Round Gutters



			Nom. Gauge/	Piece	Pieces/	Boxes/
Part #	Description	Colors	Thickness	Length	Box	Pallet
AGUH610	Alum. 6" Reverse Bead 10' Sections	BZ, CP, MB, WH	0.027	10′	5	16
AGUH610M2	Alum. 6" Reverse Bead 10' Sections	M2 (Premium Color)	0.027	10′	5	16
AGUH620	Alum. 6" Reverse Bead 20' Sections	BZ, CP, MB, WH	0.027	20'	5	16
AGUH620M2	Alum. 6" Reverse Bead 20' Sections	M2 (Premium Color)	0.027	20'	5	16
LGUH610	Glum. 6" Reverse Bead 10' Sections	Mill	26 ga	10′	5	16
LGUH620	Glum. 6" Reverse Bead 20' Sections	Mill	26 ga	20'	5	16
CGUH610	Copper 6" Reverse Bead 10' Sections	Copper	16 oz	10'	5	_
CGUH620	Copper 6" Reverse Bead 20' Sections	Copper	16 oz	20'	5	-

SOLD IN 5-COUNT CARTONS ONLY

Round Downspouts



			Nom. Gauge/	Piece	Pieces/	Boxes/
Part #	Description	Colors	Thickness	Length	Box	Pallet
ADSR310	Aluminum 3", Smooth	Listed Below	0.019	10'	5	30
ADSR310M2	Aluminum 3", Smooth	M2 (Premium Color)	0.019	10′	5	30
ADSR410	Aluminum 4", Smooth	Listed Below	0.019	10'	5	20
ADSR410M2	Aluminum 4", Smooth	M2 (Premium Color)	0.019	10'	5	20
GDSR410ML	Galvanized 4"	Mill	26 ga	10'	5	30
LDSR310	Galvalume 3", Plain	Mill	26 ga	10′	5	28
LDSR410	Galvalume 4", Plain	Mill	26 ga	10′	5	28
CDSR310	Copper 3", Smooth	Copper	16 oz	10′	Order by	the pc.
CDSR410	Copper 4", Smooth	Copper	16 oz	10'	Order by	the pc.

Round Elbows



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box	Boxes/ Pallet
AER3	Aluminum 3" Round 750	Listed Below	0.019	30	16
AER3M2	Aluminum 3" Round 750	M2 (Premium Color)	0.019	30	16
AER4	Aluminum 4" Round 750	Listed Below	0.019	30	16
AER4M2	Aluminum 4" Round 750	M2 (Premium Color)	0.019	30	16
GER430ML	Galvanized 4" Round 300	Mill	26 ga	20	24
GER445ML	Galvanized 4" Round 450	Mill	26 ga	20	24
GER475ML	Galvanized 4" Round 750	Mill	26 ga	20	24
LER3	Galvalume 3" Round 750	Mill	26 ga	10	32
LER445	Galvalume 4" Round 450	Mill	26 ga	10	32
LER4	Galvalume 4" Round 750	Mill	26 ga	10	32
CER330	Copper 3" Round 300	Copper	16 oz	Order by	the pc.
CER3	Copper 3" Round 750	Copper	16 oz	Order by	the pc.
CER430	Copper 4" Round 300	Copper	16 oz	Order by	the pc.
CER4	Copper 4" Round 750	Copper	16 oz	Order by	the pc.

Round Offsets



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ABO12R3	Aluminum 2", 3" Round	Listed Below	0.019	20
ABO12R3M2	Aluminum 2", 3" Round	M2 (Premium Color)	0.019	20
ABO14R3	Aluminum 4", 3" Round	Listed Below	0.019	20
ABO14R3M2	Aluminum 4", 3" Round	M2 (Premium Color)	0.019	20
ABO12R4	Aluminum 2", 4" Round	Listed Below	0.019	20
ABO12R4M2	Aluminum 2", 4" Round	M2 (Premium Color)	0.019	20
ABO14R4	Aluminum 4", 4" Round	Listed Below	0.019	20
ABO14R4M2	Aluminum 4", 4" Round	M2 (Premium Color)	0.019	20
ABO16R4	Aluminum 6", 4" Round	Listed Below	0.019	20
CBO12R3	Copper 2", 3" Round	Copper	16 oz	Order by the pc.
CBO14R3	Copper 4", 3" Round	Copper	16 oz	Order by the pc.
CBO12R4	Copper 2", 4" Round	Copper	16 oz	Order by the pc.
CBO14R4	Copper 4", 4" Round	Copper	16 oz	Order by the pc.
CBO16R4	Copper 6", 4" Round	Copper	16 oz	Order by the pc.

Rainware & Accessories Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	BUCKSKIN	BU	HARBOR GRAY	HG	*RUSTIC COPPER	M2	VICTORIAN GRAY	VG
ANTIQUE IVORY	ΑI	CAMEO	CA	MUSKET BROWN	MB	SANDTONE	ST	WICKER	WI
BEAVER BROWN	BB	CHARCOAL GRAY	CG	PEBBLESTONE CLAY	PC	NX SIERRA CLAY	SI	30 WHITE	WH
BLACK	BK	CLASSIC CREAM	CC	PG METALLIC	М3	TERRA BRONZE	ТВ	80 WHITE	80
BRONZE	BZ	COPPER PENNY	СР	ROYAL BROWN	RB				

* Rustic Copper is a PREMIUM color.





Half Round Outlets



Description	Colors	Thickness	Box
Aluminum 3" Round x 6"		0.019	50
Aluminum 4" Round x 6"		0.019	50
Galvanized 3" Round x 6"		26 ga	Order by the pc.
Galvanized 4" Round x 6"		26 ga	Order by the pc.
Copper 3" Round x 6"	Copper	16 oz	Order by the pc.
Copper 4" Round x 6"	Copper	16 oz	Order by the pc.
	Aluminum 3" Round x 6" Aluminum 4" Round x 6" Galvanized 3" Round x 6" Galvanized 4" Round x 6" Copper 3" Round x 6"	Aluminum 3" Round x 6" Aluminum 4" Round x 6" Galvanized 3" Round x 6" Galvanized 4" Round x 6" Copper 3" Round x 6" Copper 3" Round x 6" Copper	DescriptionColorsThicknessAluminum 3" Round x 6"0.019Aluminum 4" Round x 6"Aluminum outlets made with mill or painted finish per manufacturer's discretion.26 gaGalvanized 4" Round x 6"Copper 3" Round x 6"Copper

Half Round Miters





Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ASMH6I	Aluminum 6" 90°, Strip, Inside	BZ, CP, MB, WH	0.027	20
ASMH6IM2	Aluminum 6" 90°, Strip, Inside	M2 (Premium Color)	0.027	20
ASMH60	Aluminum 6" 90°, Strip, Outside	BZ, CP, MB, WH	0.027	20
ASMH6OM2	Aluminum 6" 90°, Strip, Outside	M2 (Premium Color)	0.027	20
ABYH6I	Aluminum 6" 45°, Bay, Inside	BZ, CP, MB, WH	0.027	20
ABYH6IM2	Aluminum 6" 45°, Bay, Inside	M2 (Premium Color)	0.027	20
ABYH6O	Aluminum 6" 45°, Bay, Outside	BZ, CP, MB, WH	0.027	20
ABYH6OM2	Aluminum 6" 45°, Bay, Outside	M2 (Premium Color)	0.027	20
LSMH6I	Galvalume 6" 90°, Strip, Inside	Mill	26 ga	20
LSMH60	Galvalume 6" 90°, Strip, Outside	Mill	26 ga	20
CSMH6I	Copper 6" 90°, Strip, Inside	Copper	16 oz	20
CSMH60	Copper 6" 90°, Strip, Outside	Copper	16 oz	20

Half Round Slip Joints



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ASJCH6WH	Aluminum 6"	WH	0.019	Order by the pc.
LSJCH6WH	Galvalume 6"	WH	26 ga	Order by the pc.

Half Round End Caps



Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
AECH6	Aluminum 6"	BZ, CP, MB, WH	0.019	20
AECH6M2	Aluminum 6"	M2 (Premium Color)	0.019	20
LECH6	Galvalume 6"	Mill	26 ga	20
CECH6	Copper 6"	Copper	16 oz	20

Rainware & Accessories Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BRONZE	BZ	COPPER PENNY	CP	*RUSTIC COPPER	M2	MUSKET BROWN	MB	WHITE	WH

* Rustic Copper is a PREMIUM color.



Half Round Brackets Colors Part # Description Pieces/Box ACC10H6 Aluminum 6" HR Combo Cir/Shk w/Clip Hanger BZ, MB, 80 Order by the pc. ACC10H6 ACC10H6ML Aluminum 6" HR Combo Cir/Shk w/Clip Hanger Order by the pc. AHRFH6 AHRFH6 BZ, MB, WH Aluminum 6" HR Fascia Hanger Order by the pc. GCC10H6 Galvanized 6" HR Combo Cir/Shk w/Clip Hanger Mill Order by the pc. Order by the pc. *GSC10H6 Galvanized 6" HR Spring Clip Mill LHRFH6 Galvalume 6" HR Fascia Hanger Mill Order by the pc. **BSC10H6 Brass Spring Clip for #10 Combo Brass Order by the pc. CCC10H6 Copper 6" HR Combo Cir/Shk w/Clip Hanger Order by the pc. Copper CHRFH6 Copper 6" HR Fascia Hanger Order by the pc. Copper

Half Round	Hidden Hangers
AHHHR6ML	

AHHSR6ML

Half Round T-Wedge Hangers

Part #	Description	Colors	Pieces/Box
AHHHR6ML	Aluminum 6" HR Hook Hanger	Mill	100
AHHSHR6ML	Aluminum 6" HR Hidden Clip Hanger w/Screw	Mill	100
SHHHR6ML	Stainless Steel 6" HR Hook Hanger	Mill	100

Note: Only for reverse bead half round gutters

1

Part #	Description	Colors	Nom. Gauge/ Thickness	Pieces/ Box
ATWHR49ML	Aluminum 4900	Mill	0.070	50

A T-Wedge can be adjusted to keep the gutter level at various fascia board angles.

Rainware Aluminum Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
BRONZE	BZ	MUSKET BROWN	MB	WHITE	WH	80 WHITE	80

^{*}For use with part GCC10H6.

^{**}For use with part CCC10H6.



Screen Systems



NX Premium Stainless Steel Micro Mesh

The ultimate in gutter protection! This tightly woven, heavy gauge stainless steel micro mesh gutter guard, with its corrosion-resistant properties, is a significant debris deterrent. It installs easily under the shingles and fastens to the front gutter hem with provided screws, while self-adjusting to various roof pitches.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
ALGP5SPML	5" Premium	Mill	14 ga	4′	25	100′
ALGP6SPML	6" Premium	Mill	14 ga	4′	25	100′
ALMMMI56ML	5/6" Premium Inside Corner	Mill	14 ga	-	3	-



NX Drop-In

The front attachment provides a firm hold to the front of the gutter and has a wide mounting flange for a permanent install. The mill finish aluminum screen is micro crimped for enhanced durability.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
ALGP5DIML	Aluminum 5"	Mill	0.025	4′	50	200'
ALGP6DIML	Aluminum 6"	Mill	0.025	4′	50	200′



NX Lock Small Hole

The small hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
GGP5LSHBK	Galvanized 5"	ВК	28 ga	4′	25	100′
GGP6LSHBK	Galvanized 6"	ВК	28 ga	4′	25	100′
GGP7LSHBK	Galvanized 7"	BK	28 ga	4′	25	100′



NX Lock Regular Hole

The regular hole screen system installs quickly without disturbing the shingles with its front and back snap lock system.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
GGP5LRHBK	Galvanized 5"	BK	28 ga	4′	25	100'
GGP6LRHBK	Galvanized 6"	BK	28 ga	4′	25	100′



NX Step Down

The small hole screen incorporates a raised snap-in system in the back of the gutter to seal off the void between the shingles and the screen. Step Down installs quickly without the use of screws or disturbing the shingles.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
GGP5SDBK	Galvanized 5"	BK	28 ga	4′	25	100′
GGP6SDBK	Galvanized 6"	BK	28 ga	4′	25	100′



NX Premium Lock

The tiny holes keeps out small debris, while allowing water to flow through the screen. Two stiffening beads run down the center of the screen for added strength. Installation is quick and easy without disturbing the shingles. The screen locks into place with a raised back and front-tiered mounting system.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
ALGP5PLBK	Aluminum 5" Screen has Tiny Holes	BK	0.032	4′	25	100'
ALGP6PLBK	Aluminum 6" Screen has Tiny Holes	BK	0.032	4′	25	100′



NX Deluxe Half Round

Spring tension design holds this gutter screen in place. Snaps in and out of half round gutters for easy cleaning. 28 gauge steel stands tough under a full load of wet leaves without collapsing. Installs with a slope toward the front to help debris slide off.

Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Feet/ Box
GLGEZ6DH	Galvanized 6.5"	BK	28 ga	4′	25	100'

Gutter Screen System Colors

	,		
COLOR	CODE	COLOR	CODE
BLACK	BK	MILL	ML



Nom. Gauge/ Piece Pieces/ Thickness Length Box **Gutter Protection** Part # Description Colors Aluminum 5"/6" Perforated High-Flow AL, BK, CC, DB, EG, IV, MB, PL, ALGLFH55 0.024 4′ 25 Gutter Cover with Screws 4' RB, S1, TB, TX, WH DB, WH ALGRX5 Aluminum 5" Drop-In Cover 6' 0.019 50 6′ ALGRX6 Aluminum 6" Drop-In Cover 6' DB, WH 0.019 50



ALGLFH55 Perforated High-Flow



ALGRX5 Drop-In

Gutter Protection Colors

COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE	COLOR	CODE
ALMOND	AL	CLAY	CL	IVORY	IV	ROYAL BROWN	RB	TUXEDO GRAY	TX
BLACK	BK	DARK BRONZE	DB	MUSKET BROWN	MB	SAND	S1	30 WHITE	WH
CLASSIC CREAM	CC	EVERGREEN	EG	PEARL GRAY	PL	TERRA BRONZE	ТВ		

Aluminum TRIM COIL Color Selection






Note: Actual color may vary from this representation. Please refer to actual metal color swatches for color accuracy.

Color appearance may change when viewed at different angles or in sunlight.

SHERWIN-WILLIAMS. Coil Coatings



ATCS24

ATCW24

ATCP24

Part #





Trim Coil Offering

Trim Coil All Colors		Limited Colors		Dimensions		Rolls / Packaging				
Description	Smooth	Woodgrain	PVC	Textured	Nominal Thickness	Length	Per Box	Per Pallet	Per Truck	
Part #	ATCS24	ATCW24	ATCP24	ATCT24	.019	50'	1	48	1248	
Unle	Unless otherwise stated, all Smooth and Woodgrain trim coil are white (W1) on the opposite side.									

SHERWIN-WILLIAMS. Coil Coatings

NORANDEX	Color Code	Smooth	Woodgrain	PVC	Rainware Comparable
Acadia Green	G19	•	•	_	_
Beaver Brown	B5	•	•	_	BB
Beige	D52	•	•	•	_
Bronze	B13	•	•	•	
Cactus	G16	•	•	•	_
Carbon	A29	•	•	•	
Champagne	D53	•	•	•	CH
Cobblestone Clay	D56	•	•	•	
Cream	D22	•	•	•	CC
Deep Water	L10	•	•	•	
Dove Gray	A26	•	•	•	_
Fern	A24	•	•	•	
Firebrick	R6	•	•	•	_
Geneva Blue	L9	•	•	_	
Granite	A19	•	•	•	GG
Graphite	A25	•	•	_	
Jamestown Blue	L2	•	•	•	
Khaki	D59	•	•	_	
Linen	W10	•	•	•	LN
Maverick Brown	B20	•	•	•	
Mocha	D58	•	•	•	
Musket Brown	B1	•	•	•	MB
Myrtle	G17	•	•	•	
Norwegian Wood	D26	•	•	_	NW
Olive	G14	•	•	•	
Pacific Amber	B11	•	•	_	_
Royal Brown	B6	•	•	•	RB
Russet	B18	•	•	•	RT
Rustic Cedar	D65	•	•	_	_
Sand	D51	•	•	•	SD
Sand Stone	D46	•	•	•	SS
Seaport	A22	•	•	•	_
Sierra	D47	•	•	•	Si
Silver	A3	•	•	•	SG
Smoke	A21	•	•	•	
Steel Blue	L8	•	•	•	_
Tan	D48	•	•	•	TN
Tumbleweed Tan	D55	•	•	•	_
Vintage Grey	A9	•	•	_	
Wedgewood	L7	•	•	•	_
Wheat	D50	•	•	•	
White	W1	•	•	•	WH
Yellow	Y4	•	•	_	_

MASTIC	Color Code	Smooth	Woodgrain	PVC	Rainware Comparable
Almond	D14	•	•	•	AL
Autumn Harvest	B11	•	•	_	
Black	A17	•	•	•	BK
Brookstone	D21	•	•	_	BS
Buckskin	D27	•	•	_	BU
Cameo	W2	•	•	•	CA
Cape Cod Grey	A2	•	•	•	HG
Charcoal Grey	A8	•	•	_	CG
Classic Cream	D22	•	•	•	CC
Corn Silk	D24	•	•	_	_
Country Blue	L3	•	•	_	CU
Dark Bronze	B13	•	•	•	_
Deep Granite	A9	•	•	_	_
Desert Sand	D34	•	•	•	DS
English Wedgewood	A11	•	•	_	_
Everest	A15	•	•	_	EV
Evergreen	G6	•	•	•	EG
Harbor Grey	A2	•	•	•	HG
Lakeshore Fern	G2	•	•	_	_
Linen	D4	•	•	•	Li
Misty Shadow	A10	•	•		_
Montana Suede	D44	•	•	•	MS
Musket Brown	B1	•	•	•	MB
Natural Cedar	В9	•	•	_	_
Pebblestone Clay	D5	•	•	•	PC
Portsmouth Blue	L6	•	•	_	_
Quiet Willow	G12	•	•	_	_
Redwood	R3	•	•	_	RW
Royal Brown	В6	•	•	•	RB
Rugged Canyon	В9	•	•	_	_
Russet Red	R4	•	•	_	_
Sage	D25	•	•	_	SA
Sandtone	D6	•	•	•	ST
Scottish Thistle	G9	•	•	_	
Silver Grey	A3	•	•	•	SG
Terra Bronze	B12	•	•	•	TB
Victorian Grey	A5	•	•	•	VG
Village Green	G11	•	•	_	Vi
Vintage Brick	R1	•	•	•	_
Vintage Dublin	G17	•	•	•	_
White	W1	•	•	•	WH
Wicker	D8	•	•	•	Wi
Whispering Timber	C5	•	•	_	_


EXTERIOR PORTFOLIO	Color Code	Smooth	Woodgrain	PVC	Rainware Comparable
Aspen White	W1	•	•	•	WH
Bone	D37	•	•	•	
Carbon	C7	•	•	_	_
Clay	D47	•	•	•	Si
Cypress	G1	•	•	•	_
Espresso	B12	•	•	•	_
Graphite	A25	•	•	_	_
Greystone	A2	•	•	•	HG
Honey Oak	D23	•	•	_	_
Ivory	D10	•	•	•	
Lighthouse Red	R1	•	•	•	_
Metropolitan Gray	A9	•	•	_	_
Mocha	D7	•	•	•	_
Oceanside	A22	•	•	•	
Olive	G2	•	•	_	_
Pearl	W2	•	•	•	CA
Peppercorn	C14	•	•	_	_
Regatta Blue	L2	•	•	•	
Rye	D21	•	•	•	BS
Saddle	D6	•	•	•	ST
Slate	A23	•	•	_	_
Spruce	G17	•	•	•	_
Wheat	Y1	•	•	•	_
Wicker	D8	•	•	•	Wi


ROYAL	Color Code	Smooth	Woodgrain	PVC	Rainware Comparable
Beige	D10	•	•	•	_
Brownstone	D26	•	•	_	NW
Clay	D21	•	•	•	BS
Cypress	G1	•	•	•	_
Driftwood	D37	•	•	•	
Flagstone	A1	•	•	•	_
Granite	A25	•	•	_	
Harvard Slate	A2	•	•	•	HG
Heather	G8	•	•	•	
Linen	W10	•	•	•	LN
Midnight Surf	L10	•	•	•	
Pebble Clay	D5	•	•	•	PC
Rockslide	A9	•	•		
Sand	D7	•	•	•	_
Soft Maple	D12	•	•	•	
Sterling	A3	•	•	•	SG
Storm	A22	•	•	•	_
Urban Bronze	C14	•	•	_	_
Vintage Cream	D30	•	•	•	_
Wicker	D8	•	•	•	Wi



Nom. Gauge/ Thickness Boxes/ Pieces/ **Starter Strip** Piece Вох Pallet Pallet Description Colors Part # Length ASS25ML Mill 0.019 1200 Aluminum 2-1/2" 10' 50 24 ASS35ML Aluminum 3-1/2" Mill 0.019 10' 25 24 600 GSS25ML Galvanized 2-1/2" Mill 28 ga 10' 50 24 1200 Mill 25 GSS35ML Galvanized 3-1/2" 28 ga 10' 24 600







Z-Bar	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	GZB26213ML	Galvanized 1" Tile	Mill	26 ga	10′	25
	GZB30516ML	Galvanized 5/16"	Mill	30 ga	10′	25
	GZB3038ML	Galvanized 3/8"	Mill	30 ga	10′	25
	GZB30716ML	Galvanized 7/16"	Mill	30 ga	10'	25
	GZB3012ML	Galvanized 1/2"	Mill	30 ga	10'	25
	GZB3058ML	Galvanized 5/8"	Mill	30 ga	10′	25
	GZB3034ML	Galvanized 3/4"	Mill	30 ga	10'	25
	GZB301ML	Galvanized 1"	Mill	30 ga	10′	25
4						


Window Flashing	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box
	GWF30214ML	Galvanized 2 x 1-1/4 x 1/2	Mill	30 ga	10′	Order by the pc.
	GWF30215ML	Galvanized 2 x 1-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30213ML	Galvanized 2 x 1-3/4 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30225ML	Galvanized 2 x 2-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF302525M	Galvanized 2-1/2 x 2-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF302535M	Galvanized 2-1/2 x 3-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30315ML	Galvanized 3 x 1-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30425ML	Galvanized 4 x 2-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF3047ML	Galvanized 4 x 7 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30634ML	Galvanized 6 x 3/4 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30615ML	Galvanized 6 x 1-1/2 x 1/2	Mill	30 ga	10'	Order by the pc.
	GWF30834ML	Galvanized 8 x 3/4 x 1/2	Mill	30 ga	10'	Order by the pc.




6" Fascia	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length		Boxes/ Pallet	Pieces/ Pallet
	AFCE6	Aluminum 6" No. Pine Wood Grain	AL, BK, BZ, CA, DS, HG, LI, MB, PC, WH, XMS	0.024	12′	25	24	600
WOOD GRAIN 5-7/8"								

8" Fascia	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length		Boxes/ Pallet	Pieces/ Pallet
	AFCE8	Aluminum 8" No. Pine Wood Grain	BK, WH	0.024	12′	25	24	600
WOOD GRAIN								
7-15/16"								
—-I I—15/16°								

12" Soffit	Part #	Description	Colors	Thickness	Length	Box	Pallet		Squares/ Box
	AST12S	Aluminum Solid	BK, BZ, CA, CG, D46, DS LI, MB, PC, TB, WH, WI, XMS	0.019	12′	20	15	300	2.4
	AST12FV	Aluminum Full Vent	BK, BZ, CA, CG, D46, DS LI, MB, PC, TB, WH, WI, XMS	0.019	12′	20	15	300	2.4
	NOTE: Re	quires 3/8" accessory	channels.						







J-Channel	Part #	Description	Colors	Nom. Gauge/ Thickness	Piece Length	Pieces/ Box	Boxes/ Pallet	Pieces/ Pallet
	AJ38	Alum. 3/8" J-Channel	BK, BZ, CA, CG, D46, DS LI, MB, PC, TB, WH, WI, XMS	0.019	12′	25	24	600



	<u> </u>	1-11/16"-
AJ38	3/8"	
	Ť	3/4"

ALUMINUM LIMITED LIFETIME WARRANTY



GUTTER SYSTEM PRODUCTS

Norandex manufactures Aluminum Gutter Coil and Gutter System Products in accordance with high standards and tight quality controls. The aluminum products will not rust, burn, support combustion, split, or crack due to cold weather.



BUY NORANDEX GUTTER SYSTEM PRODUCTS WITH CONFIDENCE KNOWING THAT:

- Norandex Aluminum Gutter System products carry a Limited Lifetime Warranty.
- Material and Labor is covered.
- · Transferable at no charge.
- Doesn't require registration.

WHAT DOES THIS WARRANTY COVER?

Norandex warrants to the owner of the property at the time the products were installed, that the products are free from defects in material and workmanship in the course of manufacture, and that the finish on the products will not chip, peel, flake, or blister under conditions of ordinary wear if installed according to local building codes and industry specifications. This warranty is limited to the terms and conditions, exclusions and limitations, requirements and legal rights stated in this warranty.

HOW LONG DOES THE COVERAGE LAST?

If the property is individually owned, this Limited Lifetime Warranty lasts for the life of the property on which the products were originally applied for as long as the individual owns the property. If the property is not individually owned (e.g., corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50-years from the date of original installation of the products on the property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty may be transferred with the property. However, upon the transfer, the warranty period will be no more than 50-years from the date of original installation of the products on the property, prorated in accordance with the Warranty Coverage Schedule contained within.

WHAT WILL NORANDEX DO?

Property owner must notify Norandex in accordance with the notice requirements outlined below to validate the complaint. In the event Norandex is denied access for an inspection, this warranty is null and void. Upon the notification and validation, Norandex will undertake the following: Norandex will repair, replace, or refund the purchase price of the defective portion of Norandex product that blisters, cracks, crazes, flakes, peels, or weathers unevenly due to a defect in the manufacturing process. Norandex obligations under this warranty will in no event exceed the purchase price of the originally installed products found to be warrantable and the cost of the labor involved in the original installation of such defective products. Any additional costs and expenses beyond these amounts are the property owner's responsibility. Norandex will not pay or be responsible for any costs associated with anything else affixed to the Norandex Metals product.

In the event of repair, replacement, or refinishing, the warranty will extend only for the time remaining under the original warranty. Norandex will determine the reasonable labor costs to repair, repaint, or replace product under this warranty.

WHAT IS NOT COVERED UNDER THE WARRANTY?

This warranty does not cover damage of any kind resulting from:

 Uninstalled product that is stored in situations where standing water is covering the surface for a prolonged period of times.

- · Buckling or rippling of gutters.
- Faulty or improper contractor fabrication or installation, including "oil canning", waving, buckling, or other distortions.
- Installation of product in direct contact with dissimilar materials or salt spray.
- Cracking or crazing of the paint surface due to field forming of products in cold temperatures.
- Changes in surface color resulting from chalking, fading, soiling, tree sap, or staining.
 Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality, the building's location, and other local conditions over which Norandex has no control.
- · Accidental damage.
- · Settlement.
- Structural shrinkage or distortion of the property structure.
- Fire
- Lightning, hurricane, tornado, windstorm, earthquake, hail, ice damage or other acts of God.
- Harmful chemicals including harmful cleaning compounds, herbicides, fertilizers, and pesticides.
- Fumes, volcanic smog, or vapors within 30-miles of volcano.
- Surface deterioration due to air pollution, use for animal confinement structures, or within a mile of seacoast and other bodies of saltwater.
- Misuse or abuse. Use of high pressure sprayers will void warranty.
- · Vandalism;
- Airborne stains, mold and mildew accumulation.
- Tiger striping or atmospheric soil accumulation is a naturally occurring phenomenon that is not covered under the finish warranty.
- Failure of original or subsequent property owners to provide reasonable and necessary maintenance of the products (see "Care & Maintenance Instructions").
- · Impact of foreign objects.
- Warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills), or exposure to unusual or excessive reflective heat sources (e.g., window reflection).
- Products that have been painted, reinstalled, or whose surface has been altered in any
 way will void the paint finish warranty.
- Any other causes beyond Norandex reasonable control.

OTHER LIMITATIONS

- This warranty covers only genuine Norandex Aluminum Gutter Coil and Gutter System
 products. It is the responsibility of the property owner to verify that the Gutter System
 products installed are Norandex products. Norandex products are warranted in the
 continental United States, Hawaii, and Alaska.
- 2. Gutter Coil is designed and intended for Gutter System applications and should not be used as roofing material or metal dome gutter protection due to esthetic reasons.
- 3. Due to normal weathering, replacement products may differ in gloss and color from products originally installed on the property.
- 4. Norandex reserve the right to discontinue or change any design or color of any products, at any time, and without notice or liability. If products of the type originally installed are no longer available, Norandex may substitute another product determined to be of comparable quality and price.

(Complete Warranty available upon request)



SIDING ACCESSORIES

Norandex manufactures Aluminum Siding Accessories which include Trim Coil, Soffit, Fascia, Soffit Channels, Drip Cap, and Z-Flashings, in accordance with high standards and tight quality controls. The aluminum products will not rust, burn, support combustion, split, or crack due to cold weather.



BUY NORANDEX ALUMINUM SIDING ACCESSORIES WITH CONFIDENCE KNOWING THAT:

- Norandex aluminum siding accessories carry a Limited Lifetime Warranty.
- Material and Labor is covered.
- Transferable at no charge.
- Doesn't require registration.

WHAT DOES THIS WARRANTY COVER?

Norandex warrants to the owner of the property at the time the products were installed, that the products are free from defects in material and workmanship in the course of manufacture, and that the finish on the products will not chip, peel, flake, or blister under conditions of ordinary wear if installed according to local building codes and industry specifications. This warranty is limited to the terms and conditions, exclusions and limitations, requirements, and legal rights stated in this warranty.

HOW LONG DOES THE COVERAGE LAST?

If the property is individually owned, this Limited Lifetime Warranty lasts for the life of the property on which the products were originally applied for as long as the individual owns the property. If the property is not individually owned (e.g., corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50-years from the date of original installation of the products on the property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty may be transferred with the property. However, upon the transfer, the warranty period will be no more than 50-years from the date of original installation of the products on the property, prorated in accordance with the Warranty Coverage Schedule contained within.

WHAT WILL NORANDEX DO?

Property owner must notify Norandex in accordance with the notice requirements outlined below to validate the complaint. In the event Norandex is denied access for an inspection, this warranty is null and void. Upon the notification and validation, Norandex will undertake the following: Norandex will repair, replace, or refund the purchase price of the defective portion of Norandex product that blisters, cracks, crazes, flakes, peels, or weathers unevenly due to a defect in the manufacturing process. Norandex obligations under this warranty will in no event exceed the purchase price of the originally installed products found to be warrantable and the cost of the labor involved in the original installation of such defective products. Any additional costs and expenses beyond these amounts are the property owner's responsibility. Norandex will not pay or be responsible for any costs associated with anything else affixed to the Norandex product.

In the event of repair, replacement, or refinishing, the warranty will extend only for the time remaining under the original warranty. Norandex will determine the reasonable labor costs to repair, repaint, or replace product under this warranty.

WHAT IS NOT COVERED UNDER THE WARRANTY?

This warranty does not cover damage of any kind resulting from:

 Uninstalled product that is stored in situations where standing water is covering the surface for a prolonged period of times.

- Faulty or improper contractor fabrication or installation, including waving, buckling, or other distortions.
- Installation of product in direct contact with dissimilar materials or salt spray.
- Cracking or crazing of the paint surface due to field forming of products in cold temperatures.
- Changes in surface color resulting from chalking, fading, soiling, tree sap, or staining.
 Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality, the building's location, and other local conditions over which Norandex has no control.
- Accidental damage.
- · Settlement.
- Structural shrinkage or distortion of the property structure.
- Fire
- Lightning, hurricane, tornado, windstorm, earthquake, hail, ice damage or other acts of God.
- Harmful chemicals including harmful cleaning compounds, herbicides, fertilizers, and pesticides.
- Fumes, volcanic smog, or vapors within 30-miles of volcano.
- Surface deterioration due to air pollution, use for animal confinement structures, or within a mile of seacoast and other bodies of saltwater.
- Misuse or abuse. Use of high pressure sprayers will void warranty.
- Vandalism.
- Airborne stains, mold and mildew accumulation.
- Tiger striping or atmospheric soil accumulation is a naturally occurring phenomenon that is not covered under the finish warranty.
- Failure of original or subsequent property owners to provide reasonable and necessary maintenance of the products (see "Care & Maintenance Instructions").
- Impact of foreign objects.
- Warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills), or exposure to unusual or excessive reflective heat sources (e.g., window reflection).
- Products that have been painted, reinstalled, or whose surface has been altered in any
 way will void the paint finish warranty.
- Any other causes beyond Norandex reasonable control.

OTHER LIMITATIONS

- This warranty covers only genuine Norandex aluminum siding accessories. It is theresponsibility of the property owner to verify that the siding accessories installed are Norandex products. Norandex products are warranted in the continental United States, Hawaii, and Alaska
- 2. Oil canning is a natural occurring phenomenon on the surface of soffit panels and is associated with the milling of thinner gauge Aluminum. Norandex guarantees these spans with specific thickness to be free of oil canning:
 - .012 2' Spans
 - .019 6' Spans
- 3. Due to normal weathering, replacement products may differ in gloss and color from products originally installed on the property.
- 4. Norandex reserve the right to discontinue or change any design or color of any products, at any time, and without notice or liability. If products of the type originally installed are no longer available, Norandex may substitute another product determined to be of comparable quality and price.

(Complete Warranty available upon request)



GUTTER SYSTEM PRODUCTS

Norandex manufactures Steel Gutter System Products including gutter coil in accordance with high standards and tight quality controls. The products will not burn, support combustion, or split, or crack due to cold weather because they are made of steel.



BUY NORANDEX STEEL GUTTER SYSTEM PRODUCTS WITH CONFIDENCE KNOWING THAT:

- Norandex Steel Gutter System products carry a Limited Lifetime Warranty.
- · Material and Labor is covered.
- Doesn't require registration.

WHAT DOES THIS WARRANTY COVER?

Norandex warrants to the owner of the property at the time the products were installed, that the products are free from defects in material and workmanship in the course of manufacture, and that the finish on the products will not chip, peel, flake, or blister under conditions of ordinary wear if installed according to local building codes and industry specifications. This warranty excludes any areas of the material that are within 3/4" of any edge that has been cut subsequent to the application of the paint to the substrate. This warranty is limited to the terms and conditions, exclusions and limitations, requirements, and legal rights stated in this warranty.

HOW LONG DOES THE COVERAGE LAST?

If the property is individually owned, this Limited Lifetime Warranty lasts for the life of the property on which the products were originally applied for as long as the individual owns the property. If not individually owned (e.g., corporation, condominium, cooperative housing arrangement, unincorporated association, school, church, government or public entity, etc.), the warranty period will be 50-years from the date of original installation of the products on the property, prorated as outlined in the Warranty Coverage Schedule contained within. This Limited Lifetime Warranty is limited to the original owner. Coverage will be 100% for 10-years after the installation and prorated after that period. See Warranty Coverage Schedule section for details of prorated coverage.

WHAT WILL NORANDEX DO?

Property owner must notify Norandex in accordance with the notice requirements outlined below to validate the complaint. In the event the manufacturer is denied access for an inspection, this warranty is null and void. Upon the notification and validation, Norandex will undertake the following: Norandex will repair, replace, or refund the purchase price of the defective portion of the product that blisters, cracks, crazes, flakes, peels, or weathers unevenly due to a defect in the manufacturing process. Norandex obligations under this warranty will in no event exceed the purchase price of the originally installed products found to be warrantable and the cost of the labor involved in the original installation of such defective products. Any additional costs and expenses beyond these amounts are the property owner's responsibility. Norandex will not pay or be responsible for any costs associated with anything else affixed to the Norandex product.

In the event of repair, replacement, or refinishing, the warranty will extend only for the time remaining under the original warranty. Norandex will determine the reasonable labor costs to repair, repaint, or replace product under this warranty.

WHAT IS NOT COVERED UNDER THE WARRANTY?

This warranty does not cover damage of any kind resulting from:

- Product that is stored in situations where standing water is covering the surface for prolonged period of time.
- Faulty or improper installation, including "oil canning", waving, buckling, or other distortions.
- Installation of Norandex product in direct contact with dissimilar materials, salt spray, and cedar shake roofing.
- Cracking or crazing of the Product's paint surface due to field forming of
 products in cold temperatures; or material that has bends less than 2T for a
 sheet thickness of 0.0299" and thinner and bends less than 4T for a sheet
 thickness of 0.0300" and thicker.
- Changes in surface color resulting from chalking, fading, soiling, tree sap, or staining. Exposure to the elements may cause these changes over time; the degree to which weathering occurs will vary depending on air quality, the building's location, and other local conditions over which Norandex has no control.
- · Accidental damage.
- · Settlement.
- Structural shrinkage or distortion of the property structure.
- Fire
- Lightning, hurricane, tornado, windstorm, earthquake, hail, ice damage or other acts of God.
- Harmful chemicals including harmful cleaning compounds, herbicides, fertilizers, and pesticides.
- Fumes, volcanic smog, or vapors within 30-miles of volcano.
- Surface deterioration due to air pollution, use for animal confinement structures, or within 1-mile of seacoast and other bodies of saltwater.
- Misuse or abuse. Use of high pressure sprayers will void warranty.
- · Vandalism.
- Airborne stains, mold and mildew accumulation.
- Tiger striping or atmospheric soil accumulation is a naturally occurring phenomenon that is not covered under the finish warranty.
- Failure of original property owner to provide reasonable and necessary maintenance of the products (see "Care & Maintenance Instructions").
- · Impact of foreign objects.
- Warping or distortion due to exposure to excessive heat sources (e.g., barbecue grills) or exposure to unusual or excessive reflective heat sources (e.g., window reflection).
- Products that have been painted, reinstalled, or whose surface has been altered in any way will void the paint finish warranty.
- Any other causes beyond Norandex reasonable control.

(Complete Warranty available upon request)

